




STAINLESS STEEL NUT & ROD

SIZE	LEFT HAND NUT	RIGHT HAND NUT	ROD
M5	SS-NUT-05L	SS-NUT-05	SS-ROD-05M
M6	SS-NUT-06L	SS-NUT-06	SS-ROD-06M
M8	SS-NUT-08L	SS-NUT-08	SS-ROD-08M
M10	SS-NUT-10L	SS-NUT-10	SS-ROD-10M
M12	SS-NUT-12L	SS-NUT-12	SS-ROD-12M
M16	SS-NUT-16L	SS-NUT-16	SS-ROD-16M
M20	SS-NUT-20L	SS-NUT-20	SS-ROD-20M
M24	SS-NUT-24L	SS-NUT-24	SS-ROD-24M



STAINLESS STEEL NYLOC NUT / RHT

SIZE	CODE	SIZE	CODE
M5	SS-NUT-05NYL	M10	SS-NUT-10NYL
M6	SS-NUT-06NYL	M12	SS-NUT-12NYL
M8	SS-NUT-08NYL	M16	SS-NUT-16NYL



STAINLESS STEEL DOME NUT / RHT

SIZE	CODE
M5	SS-DNUT-05
M6	SS-DNUT-06
M8	SS-DNUT-08
M10	SS-DNUT-10
M12	SS-DNUT-12



STAINLESS STEEL WASHER

SIZE	CODE	SIZE	CODE
M5	SS-WASH-05	M12	SS-WASH-12
M6	SS-WASH-06	M16	SS-WASH-16
M8	SS-WASH-08	M20	SS-WASH-20
M10	SS-WASH-10	M24	SS-WASH-24



STAINLESS STEEL HAMMER PINS

CODE	SIZE	LENGTH	TO SUIT
SS-HP-05	M5	11	SS-7803-305, SS-312T-503
SS-HP-06	M6	13	SS-7803-03, SS-312T-604

Stainless steel is not maintenance free, but maintenance friendly. When using stainless steel products outdoors

periodic cleaning, especially in aggressive environments such as coastal areas or swimming pools, is essential.

Washing regularly will reduce the risk of tea staining. (See introduction).

STAINLESS STEEL CLEANING AND MAINTENANCE SCHEDULE RECOMMENDED BY BRIDCO

ENVIRONMENT	DISTANCE FROM SALT SPRAY, BEACHFRONT	CLEANING INTERVAL
MILD	15KM+	EVERY 12 MONTHS
MODERATE	1 – 15KM	EVERY 4 – 6 MONTHS
MARINE/INDUSTRIAL / URBAN	500M – SALT SPRAY / BEACHFRONT 100M – 1KM – SHELTERED BAY	EVERY 3 MONTHS
SEVERE MARINE / INDUSTRIAL / BUSY URBAN	500M – SALT SPRAY / BEACHFRONT 100M – SHELTERED BAY	WEEKLY

COUNTER SUNK PHILLIPS HEAD SELF TAPPERS - 304 GRADE

CODE	GAUGE	LENGTH
SS-ST-6030	6	3/4"
SS-ST-6032	6	1"
SS-ST-6036	6	1 1/4"
SS-ST-6048	6	1 1/2"
SS-ST-8032	8	1"
SS-ST-8056	8	1 3/4"
SS-ST-1064	10	2"
SS-ST-1250	12	2"



PAN HEAD PHILLIPS HEAD SCREWS

CODE	HEAD DIA	LENGTH	THREAD
SS-98-0550	9	50	M5
SS-98-0650	10	50	M6



BUTTON HEAD SOCKETSCREWS

CODE	HEAD DIA	LENGTH	THREAD
SS-98-515	9	15	M5
SS-98-05	9	30	M5
SS-98-06	10	40	M6



STAINLESS STEEL ANCHOR BOLTS

CODE	THREAD SIZE	LENGTH
SS-ANCHOR-640	M5	35
SS-ANCHOR-840	M6	40
SS-ANCHOR-1060	M8	60
SS-ANCHOR-1280	M10	80
SS-ANCHOR-1410	M12	100



CAP HEAD SOCKET SCREWS

CODE	H	D	L	d
SS-SOCM820	8	13	20	M8

COUNTER SUNK SOCKET SCREWS

CODE	HEAD DIA	LENGTH	THREAD
SS-CSS6010	12	10	M6
SS-CSS6016	12	16	M6
SS-CSS6035	12	35	M6
SS-CSS8020	16	20	M8
SS-CSS8030	16	30	M8
SS-CSS8040	16	30	M8



STAINLESS STEEL POP RIVETS

CODE	SIZE	LENGTH
SS-POP-54	5/32"	10.3
SS-POP-64	3/16"	10.9





BLIND RIVET NUT - 304 GRADE

CODE	THREAD	D	x	L	S	DRILL BIT
SS-BRN05	M5	8	7	11.6	0.5	7.5
SS-BRN06	M6	10.5	9	13.8	0.5	9.5
SS-BRN08	M8	11.3	10	15.8	0.5	10.5
SS-BRN10	M10	14.1	13	18.9	0.5	13.5



CARGO STRAPS

HEAVY DUTY VULCANISED RUBBER WITH STAINLESS STEEL HOOKS

CODE	LENGTH
MS-TD22	22"



LOCKING WIRE (TIE WIRE) STAINLESS STEEL - 304 GRADE

CODE	SIZE	APPROX LENGTH
WR-234664	0.020" (0.5mm)	283m
WR-234699	0.025" (0.64mm)	181m
WR-469602	0.032" (0.8mm)	110m
WR-234737	0.041" (1.1mm)	67m
WR-234761	0.051" (1.26mm)	43.7m
WR-234762	0.062" (1.57mm)	29.5m

